

K45

[Feature](#)
[Gallery](#)
[Specifications](#)
[News](#)
[Download](#)
[FAQ](#)
[Support List](#)

[CPU Support List](#)
[Memory Support](#)
[Accessory Support](#)

CPU Support List

Socket	Model number	BIOS	BOM
Celeron 400 Sequence	Intel Celeron 420 1.60 GHz	SK45S10C	all version
Celeron 400 Sequence	Intel Celeron 430 1.80 GHz	SK45S10C	all version
Celeron 400 Sequence	Intel Celeron 440 2.00 GHz	SK45S10C	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1200 1.6 GHz	SK45S10B	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1400 2.0 GHz	SK45S10C	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1500 2.2 GHz	SK45S10C	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1600 2.4 GHz	SK45S10B	all version
Celeron Dual-Core	Intel Celeron Dual-Core E3200 2.4 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E4300 1.80 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E4400 2.00 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E4500 2.20 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E4600 2.40 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E4700 2.6 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E6300 1.86 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E6320 1.86 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E6400 2.13 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E6420 2.13 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E6600 2.40 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E6700 2.66 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E7200 2.53 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E7300 2.66 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E7400 2.80 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E7500 2.93 GHz	SK45S10C	all version
Core™2 Duo	Intel Core™2 Duo E7600 3.06GHz	SK45S10F	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2140 1.6 GHz	SK45S10C	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2160 1.8 GHz	SK45S10C	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2180 2.0 GHz	SK45S10C	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2200 2.2 GHz	SK45S10C	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2220 2.4 GHz	SK45S10C	all version
Pentium Dual-Core	Intel Pentium Dual-Core E5200 2.5 GHz	SK45S10C	BOM 15
Pentium Dual-Core	Intel Pentium Dual-Core E5300 2.6 GHz	SK45S10F	BOM 15
Pentium Dual-Core	Intel Pentium Dual-Core E5500 2.8 GHz	SK45S10F	BOM 15
Pentium Dual-Core	Intel Pentium Dual-Core E6300 2.8 GHz	SK45S10F	all version
Pentium Dual-Core	Intel Pentium Dual-Core E6500 2.93 GHz	SK45S10F	all version
Pentium Dual-Core	Intel Pentium Dual-Core E6600 3.06 GHz	SK45S10F	all version
Pentium Dual-Core	Intel Pentium Dual-Core E6700 3.2 GHz	SK45S10F	all version

MotherBoard's PCB version: FM10 V1.X

Remarks: **K45 BOM 15 or later could support CPU E5200.**



Shuttle

Shuttle specializes in the design and manufacturing of robust and IoT-ready small form factor PC, industrial PC, Panel PC, Kiosk, and face recognition integrated solutions.

📍 NO. 30, Lane 76, Rui Guang Rd.
Nei-Hu Dist., Taipei, Taiwan

☎ +886 2 8792 6168

✉ web@tw.shuttle.com

About Shuttle

[Company Profile](#)

[Contact US](#)

[News](#)

[Investors Relations](#)

[Privacy Policy](#)

[Legal Notices](#)

Support

[Download](#)

[FAQ](#)

[Service Center](#)

[Linux Compatibility](#)