


























SB51G (NEON-EDITION)

Feature Specifications SpecDownload Download FAQ Support List

CPU Support List Memory Support Graphic card Accessory Support

CPU Support List

Socket	Model number	BIOS	BOM
Celeron	Intel Celeron 1.70 GHz	FB51S037 	all version
Celeron	Intel Celeron 1.80 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.00 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.10 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.20 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.30 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.40 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.50 GHz	FB51S037 	all version
Celeron	Intel Celeron 2.60 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 1.50 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 1.60 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 1.70 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 1.80 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 1.90 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.00 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.20 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.26 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.40 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.40A GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.50 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.53 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.66 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.80 GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 2.80A GHz	FB51S037 	all version
Pentium 4	Intel Pentium 4 3.06 GHz	FB51S037 	all version

MotherBoard's PCB version: FB51

Remark:

1. CPU internal core bus speed runs at 400/533MHz

Remarks: 2. Prescott/Celeron D processor are not supported



Shuttle

Shuttle specializes in the design and manufacturing of robust and IoT-ready small form factor PC, industrial PC, Panel PC, Kiosk, and face recognition integrated solutions.

📍 NO. 30, Lane 76, Rui Guang Rd.

Nei-Hu Dist., Taipei, Taiwan

☎ +886 2 8792 6168

✉ web@tw.shuttle.com

About Shuttle

[Company Profile](#)

[Contact US](#)

[News](#)

[Investors Relations](#)

[Privacy Policy](#)

[Legal Notices](#)

Support

[Download](#)

[FAQ](#)

[Service Center](#)

[Linux Compatibility](#)