

SS31T

- [Feature](#)
- [Gallery](#)
- [Specifications](#)
- [SpecDownload](#)
- [News](#)
- [Download](#)
- [FAQ](#)
- [Support List](#)

- CPU Support List**
- Memory Support
- Graphic card
- Accessory Support

CPU Support List

Socket	Model number	BIOS	BOM
Celeron 400 Sequence	Intel Celeron 420 1.60 GHz	SS31S01R	all version
Celeron 400 Sequence	Intel Celeron 430 1.80 GHz	SS31S01R	all version
Celeron 400 Sequence	Intel Celeron 440 2.00 GHz	SS31S01R	all version
Celeron 400 Sequence	Intel Celeron 460 2.40 GHz	SS31S01R	all version
Celeron D	Intel Celeron D 331 2.66 GHz	SS31S01Q	all version
Celeron D	Intel Celeron D 335 2.80 GHz	SS31S01Q	all version
Celeron D	Intel Celeron D 336 2.80 GHz	SS31S01Q	all version
Celeron D	Intel Celeron D 346 3.06 GHz	SS31S01Q	all version
Celeron D	Intel Celeron D 351 3.20 GHz	SS31S01Q	all version
Celeron D	Intel Celeron D 356 3.33 GHz	SS31S01Q	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1200 1.6 GHz	SS31S10W	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1500 2.2 GHz	SS31S10W	all version
Celeron Dual-Core	Intel Celeron Dual-Core E1600 2.4 GHz	SS31S10W	all version
Core™ 2 Duo	Intel Core™ 2 Duo E4300 1.80 GHz	SS31S01R	all version
Core™ 2 Duo	Intel Core™ 2 Duo E4400 2.00 GHz	SS31S01W	all version
Core™ 2 Duo	Intel Core™ 2 Duo E4500 2.20 GHz	SS31S01R	all version
Core™ 2 Duo	Intel Core™ 2 Duo E4600 2.40 GHz	SS31S01W	all version
Core™ 2 Duo	Intel Core™ 2 Duo E4700 2.6 GHz	SS31S01W	all version
Pentium 4	Intel Pentium 4 511 2.80 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 520/520J 2.80 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 521 2.80 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 524 3.06 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 530/530J 3.00 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 531 3.00 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 540/540J 3.20 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 541 3.20 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 550/550J 3.40 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 551 3.40 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 560/560J 3.60 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 561 3.60 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 570/570J 3.80 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 571 3.80 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 630 3.00 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 631 3.00 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 640 3.20 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 641 3.20 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 650 3.40 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 651 3.40 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 660 3.60 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 661 3.60 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 670 3.80 GHz	SS31S01Q	all version
Pentium 4	Intel Pentium 4 671 3.80 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 805 2.66 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 820 2.80 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 830 3.00 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 840 3.20 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 915 2.80 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 920 2.80 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 925 3.0 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 930 3.00 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 940 3.20 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 945 3.40 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 950 3.40 GHz	SS31S01Q	all version
Pentium D	Intel Pentium D 960 3.60 GHz	SS31S01Q	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2140 1.6 GHz	SS31S01T	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2160 1.8 GHz	SS31S01R	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2180 2.0 GHz	SS31S01W	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2200 2.2 GHz	SS31S01T	all version
Pentium Dual-Core	Intel Pentium Dual-Core E2220 2.4 GHz	SS31S01W	all version

MotherBoard's PCB version: FS31 V1.x

Remarks: Celeron 4xx series & Pentium Dual-Core processor will support after BIOS: SS31S01R or later



Shuttle specializes in the design and manufacturing of robust and IoT-ready small form factor PC, industrial PC, Panel PC, Kiosk, and face recognition integrated solutions.

NO. 30, Lane 76, Rui Guang Rd.
Nei-Hu Dist., Taipei, Taiwan

+886 2 8792 6168

web@tw.shuttle.com

About Shuttle

- [Company Profile](#)
- [Contact US](#)
- [News](#)
- [Investors Relations](#)
- [Privacy Policy](#)
- [Legal Notices](#)

Support

- [Download](#)
- [FAQ](#)
- [Service Center](#)
- [Linux Compatibility](#)