


XPC

DS 20U

Shuttle XPC

Shuttle



&

- Intel® FCBGA1528, CPU
- Intel® UHD

(Barebone user configure)

- 2 260Pin DDR 4
- DDR 4 2400/2666 ,
32GB

(Barebone user configure)

- SATA 6.0Gbs 2.5

&

- Realtek ALC662 /Realtek ALC897
 - HD 2.1
- Intel i211&i219LM Dual LAN
 - 10Mb/s,100Mb/s,1Gb/s

/


- 4 x USB 2.0
 - 2 x USB3.2 Gen2
 - 2 x /
 - 1 x
-

/

- 2 x USB3.2 Gen2
- 1 x HDMI
- 1 x DisplayPort
- 2 x RJ45
- 1 x RS232 COM
- 1 x RS232 /RS422 /RS485 COM

	Intel	i7-10510U	1.8GHz (1528 pin)	1
	Shuttle	DS10U		1
	Crucial	CT16G48F88266. M8FB	16GB	2
	APD	DA-65C19	65W	1
	HGST	HTS725050A7E630	500G	1

-
-
- 200() x 165() x 39.5() mm
 - 65W (DC19V, 3.42A)
-
-



1. USB 3.2
2. USB 2.0
- 3.
- 4.
- 5.
6. SD
- 7.
- 8.
9. Clear CMOS
10. HDMI
11. DisplayPort
12. COM/WGA (RS 232 only) ()
13. COM (RS 232/RS 422/RS 485) (BIOS Setting)
14. LAN (Gigabit LAN)
15. DC (DC IN)
- 16.
17. Kensington®

限用物質含有情況標示聲明

設備名稱：個人電腦		型號（型式）：DS20U				
Equipment name：Shuttle XPC		Type designation (Type)：DS20U				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominate d biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
主機板	—	○	○	○	○	○
線材	○	○	○	○	○	○
記憶體	○	○	○	○	○	○
中央處理器	○	○	○	○	○	○
電源供應器	—	○	○	○	○	○
硬碟機	—	○	○	○	○	○
<p>備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。 Note 1：“Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2：“○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考3. “—”係指該項限用物質為排除項目。 Note 3：The “—” indicates that the restricted substance corresponds to the exemption.</p>						